

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

1/9




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

```

@echo off
REM *****
REM Get functional script for reading from generic "gen" devices.
REM
REM (c) 2003 Wyse Technology
REM Script "geti2d.bat" Begin
REM
REM Output: "get.i2d" Partition Type 2
REM
set gVERSION = "get.i2d Version 8.5"
REM *****
REM ***** Remove OLD archive
del get.i2d
REM *****
REM Display GET version
set gVERSION > ver.msg
file2img ver.msg
del ver.msg
REM ***** Check for OVERLOAD
file2img -if archive/get.i2d
file2img "-<SRCLCLproto><SRCdevice>getOVL.i2d" archive/get.i2d
file2img "-archive/<SRCTMPproto><SRCTMPdevice>get.i2d" archive/get.i2d
file2img -else archive/get.i2d
REM *****
REM Now we create an archive that creates an image for a drive
REM *****
file2img -encode archive/get.i2d "-archive/<ENCproto><ENCdevice><ENCimage>"
REM *****
REM At extraction time, all syntax will be placed into the runtime class "<ENCproto><ENCdevice><ENCimage>"
REM *****
REM *****
REM Script "put.i2d" Generator Begin
REM *****
REM ***** Remove OLD stuff
REM *****
REM ***** Create messages
echo NAND DRIVE 00 > formatmsg.msg
echo No REGISTRY found during RAPPORT restoration (atf) > fake.msg

```

FIG. 8a

```

REM *****
REM *****
REM ***** Validate Security Key *****
file2img ""<<SRCsec>" archive/get.i2d "<DSTsec>"

REM ***** Specify type of test/perform test *****
file2img ""<<SRCTest>" archive/get.i2d "<DSTtest>"

REM ***** Check for hostname.arc and copy if there *****
file2img -if archive/get.i2d "<DSTTMPproto><DSTTMPdevice>hostname.arc"
file2img -if "<DSTLCLproto><DSTdevice>hostname.arc" archive/get.i2d "<DSTTMPproto><DSTTMPdevice>hostname.arc"
file2img -if archive/get.i2d "<DSTTMPproto><DSTTMPdevice>wfacs0.reg"
file2img -else archive/get.i2d "<DSTTMPproto><DSTTMPdevice>wfacs0.reg"
file2img -endif fake.msg archive/get.i2d
file2img -if "<DSTLCLproto><DSTdevice>wfacs0.reg" archive/get.i2d
file2img -else archive/get.i2d
file2img -endif fake.msg archive/get.i2d
file2img -if "<DSTLCLproto><DSTdevice>wfacs0.reg" archive/get.i2d
file2img -else archive/get.i2d
file2img -endif fake.msg archive/get.i2d
file2img -endif

REM ***** Netxfer Model For Archive Creation *****
REM ***** Copy NOR FLASH *****
file2img ""<<GET09>" archive/get.i2d "<PUT09>"
REM ***** Copy CMOS FLASH *****
file2img ""<<GET06>" archive/get.i2d "<PUT06>"
REM ***** Signal Event Format *****
file2img ""<<GET01>" archive/get.i2d "<PUT01>"
REM ***** Copy Allocation/MBR Data *****
file2img ""<<GET07>" archive/get.i2d "<PUT07>"
REM ***** Partition FIX *****
file2img ""<<GET03>" archive/get.i2d "<PUT03>"
REM ***** Copy Partition IMAGE *****
file2img ""<<GET08>" archive/get.i2d "<PUT08>"
REM ***** Partition FIX *****
file2img ""<<GET03>" archive/get.i2d "<PUT03>"
REM ***** Partition FIX *****
file2img ""<<GET04>" archive/get.i2d "<PUT04>"
REM ***** Copy VERSIONS *****
file2img ""<<GET05>" archive/get.i2d "<PUT05>"

REM ***** RESTORE hostname.arc if there *****
file2img -if archive/get.i2d
file2img -if "<DSTTMPproto><DSTTMPdevice>hostname.arc" archive/get.i2d "<DSTLCLproto><DSTdevice>hostname.arc"
file2img -if archive/get.i2d archive/get.i2d "<DSTLCLproto><DSTdevice>wfacs0.reg"
file2img -endif archive/get.i2d
file2img -if archive/get.i2d
file2img -if "<DSTTMPproto><DSTTMPdevice>wfacs0.reg" archive/get.i2d "<DSTLCLproto><DSTdevice>wfacs0.reg"
file2img -endif archive/get.i2d
file2img -endif

```

FIG. 8b


```
REM ***** Mark End of Transfer (give control back to calling script)
file2img ~EOT      archive/get.i2d      ~EOT

REM ***** Cleanup
del formatmsg.msg
del fake.msg
set gVERSION=

REM ***** Script "putgeni2d.bat" End
REM ***** Script "encodeoff archive/get.i2d" End
REM ***** Undo Class-overload test
file2img ~endif      archive/get.i2d

REM ***** Mark End of Transfer (give control back to calling script)
file2img ~EOT      archive/get.i2d      ~EOT

REM ***** Script "getgeni2d.bat" Generator End
```

FIG. 8c

